



Search

Advanced Search
Preferences

Web

Results 41 - 50 of about 722 for **data stores relational database LDAP directory O/R mapping translating**. (0.15 seconds)**Overkill A bloody action 2D deathmatch game in ASCII art. 11logger ...**

Castor Java to XML data-binding. Java Data Objects (O/R) and DMSL InterBase A relational database server and client. intercept A TTY/serial port ...

www.idodds.com/foaf/data/freshmeat.rdl.gz · [Similar pages](#)**[PDF] COPYRIGHTED MATERIAL**File Format: PDF/Adobe Acrobat · [View as HTML](#)

persistence framework-agnostic data access interfaces and implement them with the applications using a relational database. (Also, O/R mapping is not ...

media.wiley.com/product_data/excerpt/33/076457483/076457483.pdf · [Similar pages](#)**Galin Iliev [Galcho] Blog! - LINQ**

A relational database by leveraging the Entity Framework. capable of talking to Active Directory (and other LDAP data sources potentially) over LDAP. ...

www.galcho.com/Blog/CategoryView.aspx?category=LINQ · 329k · [Cached](#) · [Similar pages](#)**Database Reading Group**

Title: Map-reduce-merge: simplified relational data processing on large clusters Title: A Unified Framework for

Data Translation over the Web ...

datalab.cs.pdx.edu/dbig/oldpapers.php · 125k · [Cached](#) · [Similar pages](#)**[PDF] IBM WebSphere Developer Technical Journal**File Format: PDF/Adobe Acrobat · [View as HTML](#)

Datasource JNDI name. 3. Define XML metadata. To map the database schema to SDO data graphs, mediator metadata must be defined. Figure 11. O/R mapping ...

download.boulder.ibm.com/ibmdl/pub/software/dw/wee/techjour/0510_techjournal.pdf · [Similar pages](#)**Slashdot | Evolutionary Database Design**

These systems store data in basically the way described and follow most of the ... A relational database could assemble a schema on the fly (just like XML ...

slashdot.org/article.pl?sid=03/01/05/1435233 · 143k · [Cached](#) · [Similar pages](#)**NHibernate - Relational Persistence for Idiomatic .NET**

Working with object-oriented software and a relational database can be cumbersome for how various mapping declarations translate to database tables. ...

www.hibernate.org/hib_docs/nhibernate/html_single/ · 530k · [Cached](#) · [Similar pages](#)**September 2005 - Posts - Jeremy D. Miller -- The Shade Tree Developer**

One way we can make this test self-contained is to do the database data setup and take advantage of an O/R mapping tool for multi-database support. ...

codebetter.com/blogs/jeremy.miller/archive/2005/09.aspx · 190k · [Cached](#) · [Similar pages](#)**Set definition language for relational data - Patent 20050050030**

The SQL server 100 is also comprised of an RDBMS (Relational Database Management e.g. an LDAP implementation (Shi, S., et al., "An enterprise directory ...

www.freepatentsonline.com/y2005/0950030.html · 256k · [Cached](#) · [Similar pages](#)**[PDF] ENTR/05/016 IUClid 5 Design Model**File Format: PDF/Adobe Acrobat · [View as HTML](#)

1. store data in the Agency IUClid database after sign up. 2. store data in the Agency Much effort has been put into Object-Relational (O/R) mapping ...

ec.europa.eu/enterprise/reach/docs/calls/entr_05_16-iuclid5_design_model.pdf · [Similar pages](#)

◀ G o o g l e ▶
[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [Next](#)

data stores relational database LDAP directory O/R mapping translating

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) more ▾

data stores relational database LDAP directory O/R mapping translating

Search

Advanced Search
Preferences

Web

Results 31 - 40 of about 722 for **data stores relational database LDAP directory O/R mapping translating**. (0.29 seconds)

Introducing Amber, Relational-to-Object Mapping instead of ORM

Feb 3, 2006 ... In general I think R/O mapping is more natural than O/R mapping as applications to retrieve data from relational stores as objects. ...

www.thecerverside.com/news/thread.jsp?thread_id=38841 - 451k - Cached - Similar pages

EclipsePlugins : plugin search

Unlike many proprietary object/relational mapping tools, Kodo JDO provides datasource that allows connection to JDO **datasources** and execution of JDOQL ...

eclipse-plugins.info/eclipse/search.jsp?query=developers - 126k - Cached - Similar pages

What's New in WebLogic Server 10.0

A **database** is no longer required to store leasing information that is used For additional security and flexibility, WebLogic Server SNMP agents map ...

edocs.bea.com/wls/docs/100/notes/new.html - 95k - Cached - Similar pages

free oracle forms download

Net file to access a **Data Base** (Oracle, Access, SQL Server, Access 2000 or later TierDeveloper is an object to relational mapping (O/R mapping) code ...

3d21.com/tags/oracle/forms/ - 75k - Cached - Similar pages

[PDF] The SCM work session for the sub-function Human Resources Strategy ...

File Format PDF/Adobe Acrobat - [View as HTML](#)

Lightweight Directory Access Protocol (LDAP) - LDAP is a subset of X.500 **data-store** or **database**. Open Database Connectivity (ODBC) – provides a ...

www.opm.gov/egov/documents/architecture/HROLOBTMv1.pdf - Similar pages

RFCs in HTML Format

1697 **Relational Database Management System (RDBMS) Management** Information Base 2164 Use of an X.500/LDAP directory to support MIXER address mapping. ...

rfc.activatedomain.org/ - 250k - Cached - Similar pages

O

OpenLDAP is an open source suite of LDAP (Lightweight Directory Access Protocol) Object **Relational Database Management System** (DBMS, DB) From VERA ...

tldp.org/LDP/Unix-Dictionary/html/o.html - 173k - Cached - Similar pages

Linux Links - The Linux Portal: Java/Development/Libraries

A data store may be a **relational database**, XML files, or any other type of ... DORM4J (Dynamic Object-Relational Mapping for Java) is an O/R mapping library ...

www.linuxlinks.com/Java/Development/Libraries/index.shtml - 174k - Cached - Similar pages

Clemens Vasters - Technology

It's bottom up and the **data** (from whatever source) is king. Objects and classes are just tooling. For O/R mapping, the **database** is just tooling. ...

vasters.com/clemensv/CategoryView.category,Technology.aspx - 336k - Cached - Similar pages

Internet Official Protocol Standards Jun-13-2008 This page shows ...

Operation ----- Lightweight Directory Access Protocol (LDAP) 4530 Authentication Mechanisms 1731
RDBMS-MIB **Relational Database Management System** ...

www.isi.edu/in-notes/4fcxx00.txt - 250k - Cached - Similar pages

◀ G o o g l e ▶
[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

data stores relational database LDAP directory O/R mapping translating

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) more ▾

data stores relational database LDAP directory O/R mapping translating

Search

Advanced Search
Preferences

Web

Results 11 - 20 of about 720 for **data stores relational database LDAP directory O/R mapping translating**. (0.15 seconds)

Computer-Related Abbreviations and Acronyms

M MAC Media Access Control MAN Metropolitan Area Network MAP Maintenance System RDA Remote Data Access RDBMS Relational DataBase Management System RDN ...
www.guru3d.com/faq.php?cat=review&id=3 - 100k - Cached - Similar pages

OakLeaf Systems: April 2007

If the application's **data store**, usually a **relational database**, A system that facilitates object-relational mapping comprising the following ...
oakleafsblog.blogspot.com/2007_04_01_archive.html - 320k - Cached - Similar pages

IETF Request For Comments (RFCs)

RFC 2164, P, Use of an X.500/LDAP directory to support MIXER address mapping. RFC 2294, P, Representing the O/R Address hierarchy in the X.500 Directory ...
www.imec.org/rfcs.html - 44k - Cached - Similar pages

Roxen Community: RFC 2600 Internet Official Protocol Standards ...

LDP Loader Debugger Protocol 909 RDP Reliable Data Protocol 908 NVP-II Network Voice ... or as required to translate it into languages other than English. ...
community.roxen.com/developers/docs/rfc/rfc2600.html - 95k - Cached - Similar pages

[doc] HHSC Service Oriented Architecture (SOA)/Utility Computing ...

File Format Microsoft Word - [View as HTML](#)
 Transparency, meaning the framework hides the **data-store** implementation Hibernate maps business objects to the **relational database** using an XML ...
architecture.hhsc.state.tx.us/.../documents/HHSC%20SOA_%20Application%20StandardsV1.0.doc.doc
 - Similar pages

UCSB Directory Service | Glossary

data store (1) (n.) A store that contains directory information, typically for an O/R mapping tool (object-to-relational database tool) (n. ...
directoryproject.isc.ucsb.edu/dir-glossary.html - 302k - Cached - Similar pages

ApacheCon US 2006 Presentations

You can use the **database** to cache or even **store data** on the client, The introduction of these constructs within an **LDAP** Directory makes **LDAP** more ...
apachecon.com/2006/US/html/archive.html - 112k - Cached - Similar pages

RFC 2600

Use of an X.500/LDAP directory to support MIXER 2164 address mapping RDBMS-MIB Relational Database Management System (RDBMS) 1697: Management ...
www.apps.ietf.org/rfc/rfc2600.html - 94k - Cached - Similar pages

Network Working Group Internet Engineering Task Force Request for ...

... of an X.500/LDAP directory to support MIXER 2164 address mapping DNS-MCGAM 26] RFC 2800 Internet Standards May 2001 RDBMS-MIB Relational Database ...
<http://ftp.Iec-Editor.org/in-notes/rfc2800.txt> - 106k - Cached - Similar pages

[PDF] The ABAP Developer's Guide to Java

File Format PDF/Adobe Acrobat
 SAP calls this type of mapping **O/R mapping** (object/**relational mapping**). manager that represents a specific **data store** object—the **database** ...
searchsap.techtarget.com/searchSAP/downloads/chapter-june.pdf - Similar pages

◀ G oogle ►
[Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

data stores relational database LDAP directory O/R mapping translating

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) more ▾

data stores relational database LDAP directory O/R mapping translating

Search

Advanced Search
Preferences

Web

Results 1 - 10 of about 722 for **data stores relational database LDAP directory O/R mapping translating** (0.31 seconds)

Java Skyline: Database

O/R Mapping and **database** engineering tools generally obtain metadata in some Generally, access to **relational data** is based on SQL (Structured Query ...
www.javaskyline.com/database.html - 108k - Cached - Similar pages

Alternate Data Storage Technologies

Apr 14, 2004 ... You want to avoid O/R mapping time and effort; You don't want to write the same They ended up using the file system as the **data store** ...
www.lo.com/~jmwm/writing/alternate_storage.html - 41k - Cached - Similar pages

Glossary

Using Sun ONE Directory Server, a provided LDAP server, you can **store** all of your enterprise's ... **O/R mapping** tool Object-to-relational [database] tool ...
docs.sun.com/source/817-2254-10/glos.html - 83k - Cached - Similar pages

InterSystems has released Cache 2007, a post-relational database

Nov 1, 2006 ... SQL Queries on Object with no O/R Mapping? by Gideon Low on Wed Nov 01 Extending Spring LDAP with an iBATIS-style XML Data Mapper ...
www.thesserverside.com/news/thread.tss?thread_id=42902 - 101k - Cached - Similar pages

InfoQ: Patrick Linskey discusses OpenJPA and the JPA specification

Aug 23, 2007 ... A common paradigm in the JPA spec and **O/R mapping** in general, contributing non-relational implementations of what we call our "store" ...
www.infoq.com/interviews/openjpa-patrick-linskey - 64k - Cached - Similar pages

[DOC] :

File Format: Microsoft Word - [View as HTML](#)

Semi-structured data is difficult to **store** in a **relational database** because it and performance problems created by object-relational (O/R) Mapping ...
cs.ua.edu/sei/StandardsAdvisor/Notes%20and%20documents/Vamsi%20Gillipalli/xmlrep1.doc - Similar pages

RFC2600

... of an X.500/LDAP directory to support MIXER 2164 address mapping DNS-MCGAM Authentication Mechanisms 1731 RDBMS-MIB Relational Database Management ...
rfc.net/rfc2600.html - 89k - Cached - Similar pages

[PDF] Microsoft PowerPoint - g22_3033_011_c71.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Data source layer obtains and saves information in a **data store**. The decoupling allows reuse of domain Map CMP Entity Beans to a **Relational Database** ...
www.nyu.edu/classes/jcf/g22_3033-005/alltests/session07/g22_3033_011_c71.pdf - Similar pages

DATABASE DEBUNKINGS - 2004 WEEKLY QUOTES

JPT: Have your original ideas about O/R mapping changed much since you embarked **Relational data models** are inherently inflexible. To **store** information ...
www.dbdudeunk.com/quotes2004.html - 62k - Cached - Similar pages

The IQueryable tales - LINQ to LDAP - Part 1: Key concepts - B# ...

Building Custom LINQ Enabled Data Providers using IQueryable<T> ... LINQ to Active Directory (formerly known as LINQ to LDAP) is here ...
community.bartdesmet.net/.../archive/2007/04/06/the-iqueryable-tales-linq-to-ldap-part-1-key-concepts.aspx - 183k - Cached - Similar pages

Google

1 2 3 4 5 6 7 8 9 10 Next ►

data stores relational database LDAP directory O/R mapping translating

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)